

V2280 Advanced technology Easy operation

The John Bean® V2280 from allows shops to perform revenue-boosting alignment services without the need for extensive technician training or bulky equipment while ensuring customer satisfaction.

Keep productivity high with our fast compensation feature that allows technicians to move through the alignment steps quickly and accurately. Automatic camera tracking removes the need for adjusting the beam height, saving valuable time. Our advanced notification system will compensate for almost any error made during the alignment in real-time, reducing the potential for errors by providing the necessary steps for corrective action if needed.

Every step of our easy-to-use software was designed for efficiency and maximum output, allowing you to bring more revenue into your shop. Premium technology without the premium price.



IMAGING DIAGNOSTIC WHEEL ALIGNMENT SYSTEM



FAST COMPENSATION AND OPTIMIZED ALIGNMENT FLOW

Streamline workflow with fast measurement compensation and an optimized alignment flow that enhances productivity by eliminating unnecessary steps in the alignment process.



ADVANCED NOTIFICATION SYSTEM

The advanced notification system provides critical information without slowing down the alignment process, automatically detecting and compensating suspension stress issues or environmental errors, only notifying the technician when necessary to provide additional information for corrective action.



AUTO CAMERA TRACKING

Automatic camera tracking eliminates the need to readjust the camera after raising the lift, it retains ultimate accuracy while moving the vehicle.



RIDE HEIGHT

Eliminate manual data entry, speed up measuring, and increase accuracy using our specially designed, optional Ride Height Targets.

WHEN GOOD ENOUGH ISN'T ENOUGH, JB.

PREMIUM FEATURES EFFICIENT RESULTS





MOBILITY KIT

The optional kit allows you to mount the cross-beam to the cabinet for flexible installation and usage, enabling you to move the system around the shop freely and out of the way as needed.

CLOUD SERVICES

Easily share service reports with your customers via email or print from anywhere in the shop.

MITCHELL1™

The aligner is network-connected, allowing technicians to access alignment repair information from Mitchell1[™] in just a few clicks.

ADVANCED DIMENSIONS

Advanced vehicle dimensioning, including Cross Dimensions measurements to identify frame or structural damage before alignment adjustments are made, and Wheel Diameter to identify mismatched tire sizes, a potential cause of vehicle pulling and drive train damage.





V2280 TECHNICAL SPECIFICATIONS

Wheel Diameter (AC200)	12"-24" 30-61cm
Track Width	48"-96" 122-244cm
Wheelbase	79"-180" 201-457cm
Power Supply	110-240V 50/60Hz

STANDARD ACCESSORIES

- AC200 Wheel Clamps
- 2x Wheel Chock
- Steering Wheel Holder
- Brake Pedal Depressor
- Printer

OPTIONAL ACCESSORIES

- VIN Scanner
- Mobility Kit
- Quick Clamp Kit
- 4" Extension Kit
- 2" Wheel Hub Extension
- Mobile Wheel Stand







