

# EASY AND FAST CALIBRATION WITH PROCESS VALIDATION


Tru-Point™ uses highly accurate, advanced camera technology, targets, and top-of-the-line software to quickly uncover any alignment problems a vehicle might have, so you can perform a perfect ADAS calibration.

Tru-Point™ streamlines the process from beginning to end with simple, real-time, and interactive visual indicators, eliminating the need for manual measurements or complicated guide references. Our intuitive, ergonomic controls are enhanced by the on-screen indicators to easily and precisely position the system to meet OEM requirements.


- OEM COMPLIANT
- **VEHICLE ALIGNMENT CHECK**
- **PROOF OF TARGET PLACEMENT**
- LEVEL FLOOR NOT REQUIRED
- **NO MANUAL MEASUREMENTS**


# STEPS REQUIRED FOR A CORRECT CALIBRATION It takes more than just pushing a few buttons for a precise

It takes more than just pushing a few buttons for a precise ADAS calibration. In order to produce accurate and reliable results, shops must take into account a number of essential steps and follow the appropriate procedures.











# TRUE FLOOR LEVELING COMPENSATION



# FLOOR LEVEL IS CRITICAL FOR PROPER CALIBRATION

Tru-Point™ adjusts the height of a target to be in perfect field of view of the camera while moving equipment out in the distance, automatically compensating for lack of levelness on the workshop floor.



# **MAXIMUM PRECISION**

Achieving the highest level of precision is no longer a challenge. A simple color-coded visual indicator allows you to easily identify the exact location for target placement, going from red to green. Done!









# **VALIDATION REPORT**

Tru-Point™ generates a printout report as evidence that the targets were placed according to OEM specifications during the procedure. Not only does the printout list and indicate that the ADAS components were placed correctly around the vehicle for all the possible unique measurement properties, but it also confirms that the vehicle's wheel alignment meets the specifications required for calibration.


















# COMPREHENSIVE COVERAGE TAILORED TO ANY SHOP'S NEEDS

# Vehicle Spec Update Front Camera (VAG included) Front Radar Cones Blind Spot Front Radar Plates Park Assist 360° View Rear Camera Night Vision Lidar Manual Mode

	LIMITED
	Vehicle Spec Update
	Front Camera (VAG included)
	Front Radar Cones
(3)	Blind Spot
(3)	Front Radar Plates
<b>(3)</b>	Park Assist
<b>(3)</b>	360° View
<b>(3)</b>	Rear Camera
<b>(3)</b>	Night Vision
(3)	Lidar
<b>(3)</b>	Manual Mode





# **OEM COMPLIANT**

Tru-Point™ was specially designed to enhance the productivity of ADAS calibration procedures, and to increase confidence that the process is done in compliance with OEM recommended guidelines.

# TRU-POINT ONE-STOP SOLUTION

# APPROVED BY RIVIAN | LUCID | VINFAST



COVERAGE GUIDE



**CLICK OR SCAN** 

INSTRUCTIONAL VIDEOS



# **PARTNERS**









# **CERTIFICATIONS**







# **TECHNICAL SPECIFICATIONS**

Tire Size (AC400)	19"-39"   48-99cm
Dimensions (HxWxD)	Arms Extended: 82"x113"x30"   208x287x76cm Arms Folded: 82"x53"x30"   208x135x76cm
Weight	Equipment: 376 lbs.   171 kg Shipping: 512 lbs.   232 kg
Power Requirements	100-240V
Display	24" TFT

### **STANDARD**

- Two Wheel Chocks
- AC400 Clamps
- VIN Scanner

## **OPTIONAL**

- Target Storage Cart
- Deluxe Target Set

# WARRANTY

- 12 months for parts and labor







