

EASY AND FAST CALIBRATION WITH PROCESS VALIDATION


Tru-Point[™] uses highly accurate, advanced camera technology, targets, and top-of-the-line software to quickly uncover any alignment problems a vehicle might have, so you can perform a perfect ADAS calibration.

Tru-Point[™] streamlines the process from beginning to end with simple, real-time, and interactive visual indicators, eliminating the need for manual measurements or complicated guide references. Our intuitive, ergonomic controls are enhanced by the on-screen indicators to easily and precisely position the system to meet OEM requirements.

📀 OEM COMPLIANT VEHICLE ALIGNMENT CHECK PROOF OF TARGET PLACEMENT LEVEL FLOOR NOT REDUIRED NO MANUAL MEASUREMENTS

STEPS REQUIRED FOR A CORRECT CALIBRA

It takes more than just pushing a few buttons for a precise ADAS calibration. In order to produce accurate and reliable results, shops must take into account a number of essential steps and follow the appropriate procedures.









FLOOR LEVEL IS CRITICAL FOR PROPER CALIBRATION

Tru-Point[™] adjusts the height of a target to be in perfect field of view of the camera while moving equipment out in the distance, automatically compensating for lack of levelness on the workshop floor.



WHEN GOOD ENOUGH ISN'T ENOUGH, JB.

MAXIMUM PRECISION

Achieving the highest level of precision is no longer a challenge. A simple color-coded visual indicator allows you to easily identify the exact location for target placement, going from red to green. Done!


Prese

Printern

TRU-POINT

THING -US

and ADAS Audit



VALIDATION REPORT

Tru-Point[™] generates a printout report as evidence that the targets were placed according to OEM specifications during the procedure. Not only does the printout list and indicate that the ADAS components were placed correctly around the vehicle for all the possible unique measurement properties, but it also confirms that the vehicle's wheel alignment meets the specifications required for calibration.



COMPREHENSIVE COVERAGE TAILORED TO ANY SHOP'S NEEDS

the set

INCLUDED		LIMITED		PREMIUM	
	Vehicle Spec Update		Vehicle Spec Update		Vehicle Spec Update
	Front Camera (VAG included)		Front Camera (VAG included)		Front Camera (VAG included)
	Front Radar Cones	\bigcirc	Front Radar Cones		Front Radar Cones
8	Blind Spot		Blind Spot		Blind Spot
8	Front Radar Plates	8	Front Radar Plates	\bigcirc	Front Radar Plates
8	Park Assist		Park Assist		Park Assist
8	360° View	8	360° View		360° View
8	Rear Camera	8	Rear Camera		Rear Camera
8	Night Vision	8	Night Vision	Ø	Night Vision
\mathbf{S}	Lidar		Lidar	Ø	Lidar
	Manual Mode		Manual Mode		Manual Mode



OEM COMPLIANT

Tru-Point[™] was specially designed to enhance the productivity of ADAS calibration procedures, and to increase confidence that the process is done in compliance with OEM recommended guidelines.

TRU-POINT ONE-STOP SOLUTION

APPROVED BY RIVIAN | LUCID | VINFAST



	COVERAGE GUIDE	INSTRUCTIONAL VIDEOS		
	CLICK OR SCAN			
PARTNERS		CERTIFICATIONS C C C	UK CA	
TECHNICAL SPECIFI	CATIONS			
Tire Size (AC400)	19"-39" 48-99cm	_		
Dimensions (HxWxD)	Arms Extended: 82"x113"x30" 208x287x76cm Arms Folded: 82"x53"x30" 208x135x76cm	STANDARD - Two Wheel Chocks	OPTIONAL - Target Stora - Deluxe Targe	
Weight	Equipment: 376 lbs. 171 kg Shipping: 512 lbs. 232 kg	 AC400 Clamps VIN Scanner 		

- get Storage Cart
- uxe Target Set

Display

Power Requirements



100-240V

24" TFT

WARRANTY

- 12 months for parts and labor

